



Specification



SFS16-VB-S-DMX Pixel Chasing Single Color /DW (Silicon)



Technical Parameters

Electrical	Input Voltage	DC24V
	IC Type	DMX512
	IC Chip Model.	UCS512B3, UCS512B4
Optical	LED Type & Chip Brand	SMD LED, Epistar
	LED Color	Single Color, Dual White
Physical	Min. Cutting Length	83.3mm, 100mm
	Min. Bending Diameter	Φ300mm
Temperature	Operation Temperature	-40°C~55°C
	Max. Mounting Surface	85°C
Durability	Warranty	5 Years Warranty
	Max. IP Rating	IP67
	Lumen Maintenance	70,000 Hours L70 @ 25°C, 50,000 Hours L70 @ 50°C



Models List

Model No.	LED Color	Power/m	Lumen/m	IC Chip	Pixel /m	Min. Cutting Length	Max. Run Length /Single End
SFS16-VB-S-DMX-CC24-27K-84-17W	2700K	17W/m	675lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-30K-84-17W	3000K	17W/m	715lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-40K-84-17W	4000K	17W/m	785lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-50K-84-17W	5000K	17W/m	785lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-57K-84-17W	5700K	17W/m	820lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-R-84-17W	Red	17W/m	365lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-G-84-17W	Green	17W/m	470lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-B-84-17W	Blue	17W/m	84lm±5%	UCS512B3	12 Pixels/m	83.3mm	7m
SFS16-VB-S-DMX-CC24-DW-120-17W	Dual White	17W/m	745lm±5%	UCS512B4	10 Pixels/m	100mm	7m



Specification

Illuminance Distribution



3000K



Red



Green



Blue

